

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	OVERBY-LINWOOD-H-JR.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:00
L2	12	OVERBY-LINWOOD-H-JR.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:05
L3	3	RODRIGUEZ-ADOLFO-FRANCI SCO.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:05
L4	6	{{(security adj1 zones) with (authoriz\$3 with access\$3)) and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:08
L5	24	{{(security with zones) with ((authoriz\$3 permit\$4) with access\$3)) and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:08
L6	24	{{(security with zones) with ((authoriz\$3 permit\$4) with access\$3)) and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:08
L7	6	{{(security adj2 zones) with (authoriz\$3 with access\$3)) and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:09
L8	6	{{(security adj2 zones) with (authoriz\$3 with access\$3)) and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:09
L9	14	{{(security adj2 zones) same (authoriz\$3 with access\$3)) and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:09
L10	14	{{(security adj2 zones) same (authoriz\$3 with access\$3)) and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:10

L11	1487	((servers) with (secur\$4 with levels)) and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:21
L12	77	((client\$1 workstation\$1) with application \$1) and (secure with zones) and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:21
L13	0	((multi near1 user\$1) with shar\$5 with zones) and access with secur\$4 with levels and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:22
L14	15	((servers) with (authoriz\$3 permit\$4) with users\$3) with (secur\$4 with levels) and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:22
L15	43	((client\$1 workstation\$1) with application \$1) same (secure with zones) and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:22
L16	62	((resources) with (authoriz\$3 permit\$4) with users\$3).ab. and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:22
L17	24	((authori\$4) with (secure with zones) and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:22
L18	100	((transferr\$4)with (secure adj2(zones local \$3 area\$3 storages stor\$3))) and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:23
L19	40	((request\$3 with (send\$4 transmit\$3 transferr\$4)with (secure adj2(zones local \$3 area\$3))) and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:23
L20	15	((servers) with (authoriz\$3 permit\$4) with users\$3) with (secur\$4 with levels) and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:23
L21	30	"380"/\$.ccls. and ((allocat\$ identifi\$) with (secur\$4 near2 devices)) and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:24
L22	8	"709"/\$.ccls. and ((allocat\$ identifi\$) with (secur\$4 near2 devices)) and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:24

L23	19	{{IP\$1 with (secure adj3 (zones local\$3 area \$3))) and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:25
L24	37	{{(authoriz\$4 permit\$4) with (computers storages) near\$3 "IP" and (levels) and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:25
L25	11	{{(multi near4 user\$1)) and secur\$4 with levels with zones and (@ad<="20010103" @rlad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 12:25
S1	263	{{(security adj1 zones) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 09:44
S2	3	{{(security adj1 zones) with (authoriz\$3 with access\$3)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/18 18:23
S3	3	{{(security adj2 zones) with (authoriz\$3 with access\$3)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:01
S4	6	{{(security adj2 zones) with ((authoriz\$3 permit\$4) with access\$3)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 14:57
S5	19	{{(security with zones) with ((authoriz\$3 permit\$4) with access\$3)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:10
S6	0	("20020103903andresource").PNL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 09:44
S7	2	"20020103903" and resource	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 09:45
S8	5	{{(security adj2 zones) with (authoriz\$3 with access\$3)) and @ad<="20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:03
S9	9	{{(security adj2 zones) same (authoriz\$3 with access\$3)) and @ad<="20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:05

S10	16	((security with zones) same (authoriz\$3 with access\$3)) and @ad<="20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 10:05
S11	1	(security with zones) with ("IP addresses") and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:30
S12	576	((level\$1 with ("IP addresses")) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:30
S13	43	((level\$1 with ("IP addresses")) and zones and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:31
S14	0	((level\$1 with sensitive with ("IP addresses")) and zones and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:31
S15	9	((level\$1 with access\$3 with ("IP addresses")) and zones and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 14:45
S16	1	((level\$1 with access\$3 with ("IP addresses")) same zones and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/31 16:27
S17	3	((level\$1 with ("IP addresses")) same zones and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:35
S18	0	((level\$1 same("IP addresses")) same secure adj1 zones and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:35
S19	6	((level\$1 same secure adj1 zones) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:36
S20	124	((level\$1 same secure with "IP") and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:36
S21	62	((level\$1 with secure with "IP") and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 14:24

S22	5	{(level\$1 with secure with "IP addresses") and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:50
S23	3	{(level\$1 adj2 secure same "IP addresses") and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:17
S24	5	{(level\$1 adj2 secure same zones) and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:52
S25	2	{(level\$1 adj2 secur\$5 same secure adj4 zones) and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:53
S26	13	{(level\$1 adj2 secur\$5 and secure adj4 zones) and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:47
S27	115	{(level\$1 adj2 secur\$5 same zones) and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:55
S28	67	{(level\$1 adj2 secur\$5 same (secur\$3 with zones) and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:56
S29	63	{(level\$1 adj2 secur\$5 with (secur\$3 with zones) and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:38
S30	46	{{(client\$1 workstation\$1) with application \$1) and (secure with zones) and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:39
S31	24	{{(client\$1 workstation\$1) with application \$1) same (secure with zones) and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:40
S32	24	{{(client\$1 workstation\$1) with application \$1) with (secure with zones) and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:11
S33	2	{"5548649").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 14:40

S34	24	((client\$1 workstation\$1) with applications) with (secure with zones) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:47
S35	2	("5548649").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 14:49
S36	20170947	server with applications and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:49
S37	0	(server with applications) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:49
S38	25758	(server with applications) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:50
S39	4927	(server with execut\$3 with applications) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:50
S40	223	(workstations with server with execut\$3 with applications) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:50
S41	8	(workstations with server with execut\$3 with applications).ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:55
S42	996	(server with execut\$3 with applications).ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:55
S43	55	(server with execut\$3 with plurality with applications).ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:57
S44	1466	(applications adj1 server).ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:57
S45	317	(applications adj1 server) with users.ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:58

S46	317	{{(applications adj1 server) with users).ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 14:58
S47	1	{{(applications adj1 server) with users).ab. and secure with zones and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 15:00
S48	23	{{(applications adj1 server) with users) and (secure with zones) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 15:37
S49	2	("6366912").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:50
S50	2	("5548649").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 16:45
S51	2	("6799301").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 16:48
S52	2	("6889379").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 17:34
S53	2	("20040003070").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 17:34
S54	18	{{(authori\$4) with (secure with zones)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:13
S55	21	{{(authori\$4) with (send\$3 transmit forward \$3) with (secure with (zones local\$3 area \$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:15
S56	24	{{(authori\$4) with (send\$3 transmit forward \$3 transfer\$3) with (secure with (zones local\$3 area\$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:30
S57	0	{{(authori\$4) near2 IP\$1 with (send\$3 transmit forward\$3 transfer\$3) with (secure with (zones local\$3 area\$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:30

S58	0	{{(authori\$4) near2 IP\$1 same (send\$3 transmit forward\$3 transfer\$3) same (secure with (zones locat\$3 area\$3))) and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:30
S59	0	{{(authori\$4) near2 IP\$1 same (secure with (zones locat\$3 area\$3))) and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:30
S60	156	{{IP\$1 same (secure with (zones locat\$3 area\$3))) and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:30
S61	82	{{IP\$1 with (secure with (zones locat\$3 area\$3))) and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 09:31
S62	7	{{IP\$1 with (secure with (zones locat\$3 area\$3)).ab. and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:12
S63	2	{{IP\$1 with (assodat\$3 assign\$3) with (secure with (zones locat\$3 area\$3))) and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:38
S64	82	{{IP\$1 with (secure with (zones locat\$3 area\$3))) and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:40
S65	11	{{IP\$1 with (secure adj3 (zones locat\$3 area\$3))) and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:42
S66	24	{{IP\$1 same (secure adj3 (zones locat\$3 area\$3))) and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:44
S67	0	{{(authoriz\$3 adj3 (send\$3 transmit\$3) adj3 (zones locat\$3 area\$3) with resources)) and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:45
S68	8	{{(authoriz\$3 with (send\$3 transmit\$3) adj3 (zones locat\$3 area\$3) with resources)) and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:46
S69	176	{{((send\$3 transmit\$3) adj3 (zones locat\$3 area\$3) with resources)) and @ad<="20010103"}	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:46

S70	8	authoriz\$3 same (((send\$3 transmit\$3) adj3 (zones local\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:46
S71	41	authoriz\$3 and (((send\$3 transmit\$3) adj3 (zones local\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:48
S72	0	authoriz\$3 and (((send\$3 transmit\$3) adj3 secure near2(zones local\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:48
S73	0	authoriz\$3 and (((send\$3 transmit\$3) with secure near2(zones local\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 10:49
S74	3	((send\$3 transmit\$3) with (secure near2 (zones local\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:05
S75	0	((upload\$3) with (secure near2(zones local\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:05
S76	0	((transmit\$4 adj (secure near2(zones local\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:05
S77	0	((transmit\$4 adj (secure with (zones local\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:06
S78	0	((transmit\$4 adj2 (secure with (zones local\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:06
S79	31	((send\$4 with (secure with (zones local\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:07
S80	2	((request\$3 near2 (send\$4 transmit\$3 transfer\$4) with (secure with (zones local\$3 area\$3) with resources)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:08
S81	56	((request\$3 with (send\$4 transmit\$3 transfer\$4) with (secure with (zones local\$3 area\$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:09

S82	22	((request\$3 with (send\$4 transmit\$3 transferr\$4)with (secure adj2(zones local \$3 area\$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:09
S83	2	((request\$3 adj3 (send\$4 transmit\$3 transferr\$4)with (secure adj2(zones local \$3 area\$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:12
S84	84	((transferr\$4)with (secure adj2(zones local \$3 area\$3 storages stor\$3))) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:12
S85	65	((transfer\$4)with (secure adj2(zones local \$3 area\$3 storages stor\$3))) .ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:48
S86	2	("6366912").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 02:12
S87	8	((access\$3 same ("IP addresses") with authoriz\$3) and (zones with level\$1) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 14:47
S88	0	((("IP addresses") with authoriz\$3) same (zones with level\$1) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 14:48
S89	1	((("IP addresses") with authoriz\$3) same (zones same level\$1) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 14:48
S90	1	((("IP addresses") same authoriz\$3) same (zones same level\$1) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 14:48
S91	1	((authoriz\$3) same ((("IP addresses") same zones same level\$1) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 14:49
S92	11	((authoriz\$3) and ((("IP addresses") same zones same level\$1) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 14:49
S93	2	((security with zones) with (authoriz\$3 permit\$4) with users\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 14:59

S94	5	{{(secur\$3 with zones) with (authoriz\$3 permit\$4) with users\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:01
S95	13	{{(secur\$3 with zones) same (authoriz\$3 permit\$4) with users\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:14
S96	740	{{(resources) same (authoriz\$3 permit\$4) with users\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:14
S97	445	{{(resources) with (authoriz\$3 permit\$4) with users\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:15
S98	51	{{(resources) with (authoriz\$3 permit\$4) with users\$3).ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:15
S99	4	{{(resources) with (authoriz\$3 permit\$4) with users\$3).ab. and (secur\$4 with levels) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:16
S100	13	{{(servers) with (authoriz\$3 permit\$4) with users\$3).ab. and (secur\$4 with levels) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:24
S101	8	{{(servers) with (authoriz\$3 permit\$4) with users\$3) with (secur\$4 with levels) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:29
S102	793	{{(servers) with (secur\$4 with levels)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:29
S103	4	{{(servers) with (secur\$4 with levels).ab. and ((authoriz\$3 permit\$4) with users\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:30
S104	13	{{(servers) with (secur\$4 with levels).ab. and ((authoriz\$3 permit\$4) with access\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:35
S105	156	{{(servers host\$1 database\$1 store\$3 storag\$4) with (secur\$4 with levels))same {{(authoriz\$3 permit\$4) with access\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:36

S106	0	"713"/\$.ccls and ((servers host\$1 database \$1 store\$3 storage\$4) with (secur\$4 with levels))same ((authoriz\$3 permit\$4) with access\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:37
S107	0	"380"/\$.ccls and ((servers host\$1 database \$1 store\$3 storage\$4) with (secur\$4 with levels))same ((authoriz\$3 permit\$4) with access\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:37
S108	0	"709"/\$.ccls and ((servers host\$1 database \$1 store\$3 storage\$4) with (secur\$4 with levels))same ((authoriz\$3 permit\$4) with access\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:37
S109	0	"709"/\$.ccls and ((servers host\$1 database \$1 store\$3 storage\$4) same (secur\$4 with levels))same ((authoriz\$3 permit\$4) with access\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:37
S110	0	"713"/\$.ccls and ((servers host\$1 database \$1 store\$3 storage\$4) same (secur\$4 with levels))same ((authoriz\$3 permit\$4) with access\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:37
S111	0	"713"/\$.ccls and ((servers host\$1 database \$1 store\$3 storage\$4) same (secur\$4 with levels))same ((authoriz\$3 permit\$4)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:37
S112	194	"713"/\$.ccls and ((servers host\$1 database \$1 store\$3 storage\$4) same (secur\$4 with levels))same ((authoriz\$3 permit\$4)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:38
S113	94	"713"/\$.ccls and ((servers host\$1 database \$1 store\$3 storage\$4) same (secur\$4 with levels))same ((authoriz\$3 permit\$4) with users) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:38
S114	19	"713"/\$.ccls and ((servers host\$1 database \$1 store\$3 storage\$4) with (secur\$4 with levels))with ((authoriz\$3 permit\$4) with users) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:39
S115	9	"713"/\$.ccls and ((servers host\$1) with (secur\$4 with levels))with ((authoriz\$3 permit\$4) with users) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:55
S116	13	"713"/\$.ccls and ((servers host\$1) with (secur\$4 with levels))same ((authoriz\$3 permit\$4) with users) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:58
S117	128	((servers host\$1 computers) with (secur\$4 with levels))same ((authoriz\$3 permit\$4) with users) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:58

S118	76	((servers host\$1 computers)with (secur\$4 with levels) with ((authoriz\$3 permit\$4) with users) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 17:06
S119	28	((servers host\$1 computers)and (secur\$4 with levels) with ((authoriz\$3 permit\$4). ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 17:18
S120	2	("6317837").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/30 17:10
S121	452	((servers host\$1 computers devices)and (secur\$4 with levels) with ((authoriz\$3 permit\$4) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 17:19
S122	79	((servers host\$1 computers devices)and (secur\$4 with levels) with ((authoriz\$3 permit\$4) near2 access\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 17:19
S123	46	((servers host\$1 computers devices)same (secur\$4 with levels) with ((authoriz\$3 permit\$4) near2 access\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 17:21
S124	5	"713"/\$.ccls. and ((servers host\$1 computers devices)same (secur\$4 with levels) with ((authoriz\$3 permit\$4) near2 access\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 17:22
S125	3	"713"/\$.ccls. and ((servers host\$1 computers devices)same (secur\$4 with levels)near3 ((authoriz\$3 permit\$4)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 17:23
S126	1	"713"/\$.ccls. and ((servers host\$1 computers devices)same (secur\$4 with levels)near3 ((ZONEs)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 17:24
S127	5	((servers host\$1 computers devices)with (secur\$4 with levels)near3 ((ZONEs)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 17:25
S128	19	((servers host\$1 computers devices)with (secur\$4 with levels) with ((ZONEs)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 17:28
S129	648	((servers host\$1 computers devices) near4 (secur\$4 with levels) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 17:29

S130	34	((servers host\$1 computers devices) near4 access\$3 near2 (secur\$4 with levels)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 17:48
S131	2	("5615277").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/30 17:49
S132	2	("20020069366").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/30 17:50
S133	2	("6389542").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/30 17:53
S134	2	("6747564").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/30 17:53
S135	2	("6775781").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/30 17:55
S136	2	("6317837").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/30 17:55
S137	8	"713"/\$.ccls. and (secur\$3 with levels with zones) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/31 16:34
S138	3	"380"/\$.ccls. and (secur\$3 with levels with zones) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/31 16:35
S139	46	"380"/\$.ccls. and (secur\$3 with levels with locations) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/31 16:35
S140	0	"380"/\$.ccls. and (secur\$3 with levels with locations).ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/31 16:36
S141	0	"380"/\$.ccls. and (secur\$3 with levels with locations with IP) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/31 16:36

S142	1	"380"/\$.ccls. and (secur\$3 with levels with locations with (authoriz\$4 permit\$4)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 13:46
S143	3	"380"/\$.ccls. and (secur\$3 with levels with locations same (authoriz\$4 permit\$4)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/31 16:41
S144	2	"370"/\$.ccls. and (secur\$3 with levels with locations same (authoriz\$4 permit\$4)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/31 17:08
S145	4	{{("6138163") or ("20010039615")}.PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 10:09
S146	2	{{("6212550")}.PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 10:52
S147	2	{{("20010039615")}.PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 10:52
S148	15	"380"/\$.ccls. and ((allocat\$ identif\$) with (secur\$4 near2 devices)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 15:05
S149	28	"713"/\$.ccls. and ((allocat\$ identif\$) with (secur\$4 near2 devices)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 15:15
S150	0	"713"/\$.ccls. and ((allocat\$ identif\$) with (secur\$4 near1 (computers storages) near2 devices)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 15:16
S151	6	{{(allocat\$ identif\$) with (secur\$4 near1 (computers storages) near2 devices)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 15:18
S152	51	{{(allocat\$ identif\$) with (secur\$4 with (computers storages) near2 devices)) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 15:18
S153	3	{{(allocat\$ identif\$) with (secur\$4 with (computers storages) near2 devices)) and (sensitive with levels) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 15:21

S154	32	((allocat\$ identif\$) with (secur\$4 with (computers storages) near2 devices)) and (levels) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 15:21
S155	0	((allocat\$ identif\$) near3 (secur\$4 with (computers storages) near2 devices)) and (levels) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 15:21
S156	2	((allocat\$ identif\$) near3 (authoriz\$4 with (computers storages) near2 devices)) and (levels) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 17:02
S157	3	((allocat\$ identif\$) near5 (authoriz\$4 with (computers storages) near2 devices)) and (levels) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 16:06
S158	2	("6981156").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 16:07
S159	2	("6996716").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/01 16:07
S160	2	("20020087994").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 09:05
S161	2	("6850691").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 09:16
S162	2	("20030131126").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 09:16
S163	2	("20030037331").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 13:04
S164	2	("6668322").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 13:05
S165	2	("6128653").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 13:05

S166	2	("6829709").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 13:05
S167	2	("6104716").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 13:06
S168	2	("6892240").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 13:25
S169	2	("6892240").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/02 13:25
S170	87	{{(authoriz\$4 permit\$4) with (computers storages) with "IP" and (levels) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 17:04
S171	18	{{(authoriz\$4 permit\$4) with (computers storages) near3 "IP" and (levels) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 17:14
S172	13	{{secur\$4 near3 (computers storages) near3 "IP" and (levels) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 17:15
S173	13	{{(level with sensitivity) with resources) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 01:10
S174	2	("6615267").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/04 06:58
S175	5	{{(providing with secure with access with through with network with firewalls) and @ad<="20000825"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 02:16
S176	0	{{(handling with a with request with for with information with provided with network) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 02:17
S177	0	{{(handling with request with for with information with provided with network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 02:18

S178	0	(handling with provided with network) .ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 02:18
S179	26	(handling near3 request near3 information). ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 02:19
S180	13	(handling near3 request near3 information). ti. and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 02:20
S181	1	(handling near3 request near3 information near6 network).ti. and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 02:19
S182	3	(handling near3 request near3 information) and hendren and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 02:20
S183	4616	{{(translat\$ convert\$4) with protocols}.ab. and @ad<="20020508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:56
S184	207	{{(translat\$ convert\$4) with protocols}.ab. and (network near2 manag\$4) and @ad<="20020508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:57
S185	3	{{(translat\$ convert\$4) with protocols}.ab. and (network near2 manag\$4) with topology and @ad<="20020508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 15:00
S186	3	{{(translat\$ convert\$4) with protocols} with (network near2 manag\$4) with topology and @ad<="20020508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 15:01
S187	5	{{(translat\$ convert\$4) with protocols} same (network near2 manag\$4) with topology and @ad<="20020508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 15:03
S188	12	{{(translat\$ convert\$4) with (network near2 manag\$4) with topology) and @ad<="20020508"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 15:06
S189	2	("20050198238").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/07 12:31

S190	52	{{(multi near1 user\$1) with shar\$5 with resources) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:48
S191	13	{{(multi near1 user\$1) with shar\$5 with resources) and access with levels and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:50
S192	1	{{(multi near1 user\$1) with shar\$5 with resources) and access with secur\$4 with levels and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:57
S193	0	{{(multi near1 user\$1) with shar\$5 with zones) and access with secur\$4 with levels and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:57
S194	0	{{(multi near1 user\$1) with zones) and access with secur\$4 with levels and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:58
S195	0	{{(multi near1 user\$1) with zones) and access near4 levels and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:58
S196	87	{{(multi near1 user\$1) with shar\$4) and access near4 levels and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:58
S197	0	{{(multi near1 user\$1) with shar\$4) and access near4 levels with zones and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:59
S198	0	{{(multi near1 user\$1) with shar\$4) and access with levels with zones and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:59
S199	0	{{(multi near1 user\$1) with shar\$4) and secur\$4 with levels with zones and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 16:59
S200	8	{{(multi near1 user\$1)) and secur\$4 with levels with zones and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 17:03
S201	8	{{(multi near4 user\$1)) and secur\$4 with levels with zones and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/21 17:04

S202	6	((("5822569") or ("5541911") or ("6212511"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 17:31
S203	2	("6212529").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/22 17:31
S204	0	(map\$4 with compar\$4 with connections) and fabric and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 14:25
S205	0	(map\$4 same compar\$4 with connections) and fabric and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 14:25
S206	0	(map\$4 same compar\$4 with topology) and fabric and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 14:25
S207	1	(map\$4 same compar\$4 with topology) and fabric and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 14:27
S208	127	(query\$4 same map\$5) and fabric and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 14:27
S209	10	(query\$4 with map\$5) and fabric and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 14:27
S210	2	("5541911").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 14:30
S211	2305	((transform\$3 convert\$4 chang\$4) with (SNMP CMIP protocol\$1) same (index\$2 address\$2) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:19
S212	431	((transform\$3 convert\$4 chang\$4) with (SNMP CMIP protocol\$1) same (index\$2 address\$2).ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:19
S213	597	((transform\$3 convert\$4 chang\$4 translat \$4) with (SNMP CMIP protocol\$1) same (index\$2 address\$2).ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:20

S214	197	{(transform\$3 convert\$4 chang\$4 translat\$4) near4 (SNMP CMI P protocol\$1) with (index\$2 address\$2).ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:20
S215	3	{(transform\$3 convert\$4 chang\$4 translat\$4) near4 (SNMP CMI P protocol\$1) with (index\$2).ab. and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:22
S216	5	{(transform\$3 convert\$4 chang\$4 translat\$4) near4 (SNMP with (index\$2) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:28
S217	0	{(transform\$3 convert\$4 chang\$4 translat\$4) with (SNMP) with (index\$2 with address\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:28
S218	1	{(transform\$3 convert\$4 chang\$4 translat\$4) same (SNMP) with (index\$2 with address\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:29
S219	3	{(transform\$3 convert\$4 chang\$4 translat\$4) same (SNMP) same (index\$2 with address\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:32
S220	3	{(transform\$3 convert\$4 chang\$4 translat\$4) same (SNMP CMI P) same (index\$2 with address\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:33
S221	88	{(transform\$3 convert\$4 chang\$4 translat\$4) same (SNMP CMI P protocols) same (index\$2 with address\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:37
S222	3	{(transform\$3 convert\$4 chang\$4 translat\$4) same (SNMP CMI P) same (index\$2 with address\$3) and @ad<="20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:40
S223	2	("20020144187").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 16:32
S224	18	{(e-mail near1 messaging near1 system).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:18
S225	4	{(e-mail near1 messaging near1 system).ti. and Sheldon	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 14:16

S226	2	("7181141").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 14:17
S227	2	("6738345").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 14:18
S228	2	("7039696").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 14:19
S229	2	("5684959").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 16:28
S230	2	("6738354").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 16:28
S231	2	("6738345").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 16:28
S232	9480	{{(authoriz\$4 permit\$4) with (users) same secur\$} and (@ad<="20010103" @ad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:21
S233	18	{{(authoriz\$4 permit\$4) with (users) same secur\$3 near2 zones) and (@ad<="20010103" @ad<="20010103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/30 13:21
S234	3	BRUTON-DAVID-ARO-III.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 07:50

7/ 1/ 2009 12:26:09 PM

C:\Documents and Settings\ltruong6\My Documents\EAST\Workspaces\09773811.wsp